

In the Claims:

Please amend the claims as follows:

1. (currently amended) A cover for an electronic device comprising
 - a decoration~~(11)~~ which is visible to a user when said cover is connected to an electronic device;
 - a contact sensitive component~~means (22,23)~~ arranged such that ~~it~~they generates an electrical signal when a part ~~(12)~~ of said decoration ~~(11)~~ associated to said contact sensitive component~~means (22,23)~~ is touched; and
 - a connection component configured~~means (24,25)~~ ~~to~~for electrically connecting said contact sensitive component~~means (22,23)~~ to a processing component~~means~~.
2. (currently amended) The cover according to claim 1, wherein said contact sensitive component~~means~~ comprises a pressure sensitive film.
3. (previously presented) The cover according to claim 2, wherein said pressure sensitive film is an electromechanical film.
4. (previously presented) The cover according to claim 2, wherein said pressure sensitive film comprises at least one force sensitive resistor.
5. (currently amended) The cover according to claim 1, wherein said contact sensitive component~~means~~ comprises at least one capacitive sensor~~(22)~~.
6. (currently amended) The cover according to claim 5, wherein different parts~~(12)~~ of said decoration~~(11)~~ associated to said contact sensitive component~~means (22,23)~~ result in a generation of different signals by said contact sensitive component~~means (22,23)~~ when touched.

7. (currently amended) The cover according to claim 5, wherein one or more selected parts ~~(12)~~ of said decoration ~~(11)~~ are associated to one or more functions enabled by a processor to which said contact sensitive componentmeans ~~(22,23)~~ can be connected via said connection componentmeans ~~(24,25)~~.
8. (currently amended) The cover according to claim 5, further comprising a processing componentmeans to which said contact sensitive componentmeans ~~(22,23)~~ isare connected via said connection componentmeans ~~(24,25)~~.
9. (currently amended) The cover according to claim 5, wherein said decoration is a decoration adjustable by a processing componentmeans.
10. (currently amended) The cover according to claim 9, wherein said adjustable decoration comprises at least one light emitting diode ~~(LED)~~ which is controllable by a processing componentmeans.
11. (currently amended) The cover according to claim 10, wherein said adjustable decoration comprises at least one electro-luminance pattern which is controllable by a processing componentmeans.
12. (currently amended) An electronic device comprising a cover, which cover comprises
 - a decoration which is visible to a user when said cover is connected to an electronic device;
 - a contact sensitive component arranged such that it generates an electrical signal when a part of said decoration associated to said contact sensitive component is touched; and;
 - a connection component configured to electrically connect said contact sensitive component to a processing component

~~according to claim 1.~~

13. (currently amended) The electronic device according to claim 12 comprising a data connection to said cover and a processing component means configured to ~~for~~ processing data received by said contact sensitive component means of said cover.
14. (currently amended) The cover according to claim 1, wherein different parts ~~(12)~~ of said decoration ~~(11)~~ associated to said contact sensitive component means ~~(22,23)~~ result in a generation of different signals by said contact sensitive component means ~~(22,23)~~ when touched.
15. (currently amended) The cover according to claim 1, wherein one or more selected parts ~~(12)~~ of said decoration ~~(11)~~ are associated to one or more functions enabled by a processor to which said contact sensitive component means ~~(22,23)~~ can be connected via said connection component means ~~(24,25)~~.
16. (currently amended) The cover according to claim 1, further comprising a processing component means to which said contact sensitive component means ~~(22,23)~~ is ~~are~~ connected via said connection component means ~~(24,25)~~.
17. (currently amended) The cover according to claim 1, wherein said decoration is a decoration adjustable by a processing component means.
18. (currently amended) The cover according to claim 17, wherein said adjustable decoration comprises at least one light emitting diode ~~(LED)~~ which is controllable by a processing component means.

19. (currently amended) The cover according to claim 9, wherein said adjustable decoration comprises at least one electro-luminance pattern which is controllable by a processing component~~means~~.
20. (new) The electronic device according to claim 12, wherein said contact sensitive component of said cover comprises a pressure sensitive film.
21. (new) The electronic device according to claim 20, wherein said pressure sensitive film is an electromechanical film.
22. (new) The electronic device according to claim 20, wherein said pressure sensitive film comprises at least one force sensitive resistor.
23. (new) The electronic device according to claim 12, wherein said contact sensitive component comprises at least one capacitive sensor.
24. (new) The electronic device according to claim 12, wherein different parts of said decoration associated to said contact sensitive component result in a generation of different signals by said contact sensitive component when touched.
25. (new) The electronic device according to claim 12, wherein one or more selected parts of said decoration are associated to one or more functions enabled by a processor to which said contact sensitive component can be connected via said connection component.
26. (new) The electronic device according to claim 12, wherein said cover further comprises a processing component to which said contact sensitive component is connected via said connection component.

27. (new) The electronic device according to claim 12, wherein said decoration is a decoration adjustable by a processing component.
28. (new) The electronic device according to claim 27, wherein said adjustable decoration comprises at least one light emitting diode which is controllable by a processing component.
29. (new) The electronic device according to claim 27, wherein said adjustable decoration comprises at least one electro-luminance pattern which is controllable by a processing component.
30. (new) A cover comprising:
 - means for presenting a decoration which is visible to a user when said cover is connected to an electronic device;
 - means for generating an electrical signal when a part of said decoration is touched; and
 - means for electrically connecting said means for generating an electrical signal to means for processing the electrical signal.